


单开闭气动快速接头系列(C式)


母插芯/Socket

RESP




型号	PU尺寸 内径×外径 (mm)	尺寸 (mm)		
		Ls	Dmax	Bs
RESP-10	4×6	49	φ19.3	φ3
RESP-20	5×8	49	φ19.3	φ3.5
RESP-30	6.5×10	51	φ19.3	φ4.8
RESP-40	8×12	53	φ19.3	φ5.5

RESF




型号	螺牙尺寸 (T)	尺寸 (mm)		
		Ls	Dmax	Bs
RESF-20	NPT1/4" 19P	46	φ19.3	φ9
RESF-30	NPT3/8" 19P	47	φ19.3	φ9
RESF-40	NPT1/2" 14P	49.5	φ19.3	φ9

RESM



型号	螺牙尺寸 (T)	尺寸 (mm)		
		Ls	Dmax	Bs
RESM-20	NPT1/4" 19P	48	φ19.3	φ7.5
RESM-30	NPT3/8" 19P	52	φ19.3	φ10.5
RESM-40	NPT1/2" 14P	53.5	φ19.3	φ13.5

RESH




型号	软管尺寸 (T)	尺寸 (mm)		
		Ls	Dmax	Bs
RESH-10	6(1/4 HOSE)	54	φ19.3	φ3.8
RESH-20	9(5/16 HOSE)	62	φ19.3	φ5.8
RESH-30	11(3/8 HOSE)	62	φ19.3	φ6.5
RESH-40	13.8(1/2 HOSE)	62	φ19.3	φ9

单开闭气动快速接头系列(C式)


公插芯/PLUG

REPP




型号	PU尺寸 内径×外径 (mm)	尺寸 (mm)		
		Lp	六角D	Bs
REPP-10	4×6	40.7	S14	φ3
REPP-20	5×8	40.7	S14	φ3.5
REPP-30	6.5×10	43	S14	φ4.8
REPP-40	8×12	44.5	S17	φ5.8

REPF




型号	螺牙尺寸 (T)	尺寸 (mm)		
		Lp	六角D	Bp
REPF-20	NPT1/4" 19P	39	S16	φ7.5
REPF-30	NPT3/8" 19P	38.5	S21	φ7.5
REPF-40	NPT1/2" 14P	39.5	S25	φ7.5

REPM



型号	螺牙尺寸 (T)	尺寸 (mm)		
		Lp	六角D	Bp
REPM-20	NPT1/4" 19P	40	S14	φ7.5
REPM-30	NPT3/8" 19P	42	S17	φ7.5
REPM-40	NPT1/2" 14P	41	S21	φ7.5

REPH




型号	软管尺寸 (T)	尺寸 (mm)		
		Lp	D1	Bs
REPH-10	6(1/4 HOSE)	44.5	φ15.5	φ3.8
REPH-20	9(5/16 HOSE)	50.5	φ15.5	φ5.8
REPH-30	11(3/8 HOSE)	52.5	φ17	φ6.5
REPH-40	13.8(1/2 HOSE)	53.5	φ18.6	φ9

单手半自动快速接头系列


母插芯/Socket

RE-P-S




型号	PU尺寸 内径×外径 (mm)	尺寸 (mm)		
		Ls	Dmax	Bs
RE-P20-S	5×8	58.5	φ22.8	φ3.8
RE-P30-S	6.5×10	60	φ22.8	φ5
RE-P40-S	8×12	61.5	φ22.8	φ6

RE-F-S




型号	螺牙尺寸 (T)	尺寸 (mm)		
		Ls	Dmax	Bs
RE-F20-S	NPT1/4" 19P	62	φ22.8	φ9
RE-F30-S	NPT3/8" 19P	54.5	φ22.8	φ9
RE-F40-S	NPT1/2" 14P	56.5	φ22.8	φ9

RE-M-S



型号	螺牙尺寸 (T)	尺寸 (mm)		
		Ls	Dmax	Bs
RE-M20-S	NPT1/4" 19P	56.5	φ22.8	φ8
RE-M30-S	NPT3/8" 19P	57.9	φ22.8	φ12
RE-M40-S	NPT1/2" 14P	59.5	φ22.8	φ14

RE-H-S




型号	软管尺寸 (T)	尺寸 (mm)		
		Lp	Dmax	Bs
RE-M20-S	9(5/16 HOSE)	72.5	φ22.8	φ5.2
RE-M30-S	11(3/8 HOSE)	74	φ22.8	φ6.5
RE-M40-S	13.8(1/2 HOSE)	77.5	φ22.8	φ9

单手半自动快速接头系列


公插芯/PLUG

RE-PP




型号	PU尺寸 内径×外径 (mm)	尺寸 (mm)		
		Lp	六角D	Bs
RE-PP20	5×8	40.7	S14	φ3.5
RE-PP30	6.5×10	43	S14	φ4.8
RE-PP40	8×12	44.5	S17	φ5.8

RE-PF




型号	螺牙尺寸 (T)	尺寸 (mm)		
		Lp	六角D	Bp
RE-PF20	NPT1/4" 19P	39	S16	φ7.5
RE-PF30	NPT3/8" 19P	38.5	S21	φ7.5
RE-PF40	NPT1/2" 14P	39.5	S25	φ7.5

RE-PM



型号	螺牙尺寸 (T)	尺寸 (mm)		
		Lp	六角D	Bp
RE-PM20	NPT1/4" 19P	40	S14	φ7.5
RE-PM30	NPT3/8" 19P	42	S17	φ7.5
RE-PM40	NPT1/2" 14P	41	S21	φ7.5

RE-PH



型号	软管尺寸 (T)	尺寸 (mm)		
		Lp	D1	Bs
RE-PH20	9(5/16 HOSE)	50.5	φ15.5	φ5.8
RE-PH30	11(3/8 HOSE)	52.5	φ17	φ6.5
RE-PH40	13.8(1/2 HOSE)	53.5	φ18.6	φ9

多管路快速接头系列

圆二通RESMV



圆三通RESMY



圆二通RESMV(外螺型)



圆三通RESMY(外螺型)



圆二通RE-V-S



圆三通RE-Y-S



圆二通RE-V-S-O(外螺型)



圆三通RE-Y-S-O(外螺型)



直二通RESML-2



直二通RESML-3





直二通RESML-4




直二通RESML-5




多管路快速接头系列



品名规格	尺寸 B	正面螺纹/孔数 C	两侧螺纹 P	背孔螺纹/孔数 K	长度 A	正面螺纹孔间距 F	G
二位五孔	20×20	2分(G1/4)/2	2分(G1/4)	2分(G1/4)/1	67	30	18.50
三位六孔	20×20	2分(G1/4)/3	2分(G1/4)	2分(G1/4)/1	97	30	18.50
四位七孔	20×20	2分(G1/4)/4	2分(G1/4)	2分(G1/4)/1	127	30	18.50
五位八孔	20×20	2分(G1/4)/5	2分(G1/4)	2分(G1/4)/1	157	30	18.50
六位九孔	20×20	2分(G1/4)/6	2分(G1/4)	2分(G1/4)/1	187	30	18.50
七位十孔	20×20	2分(G1/4)/7	2分(G1/4)	2分(G1/4)/1	217	30	18.50
八位十一孔	20×20	2分(G1/4)/8	2分(G1/4)	2分(G1/4)/1	247	30	18.50
九位十二孔	20×20	2分(G1/4)/9	2分(G1/4)	2分(G1/4)/1	277	30	18.50
十位十三孔	20×20	2分(G1/4)/10	2分(G1/4)	2分(G1/4)/1	307	30	18.50



品名规格	尺寸 B	正面螺纹/孔数 C	两侧螺纹 P	安装孔大小/孔数 H	长度 A	正面螺纹孔间距 F	G
分流排二位四孔	30×30	2分(G1/4)/2	4分(G1/2)	5.2mm/2	76	32	22
分流排三位五孔	30×30	2分(G1/4)/3	4分(G1/2)	5.2mm/2斜孔	108	32	22
分流排四位六孔	30×30	2分(G1/4)/4	4分(G1/2)	5.2mm/4	140	32	22
分流排五位七孔	30×30	2分(G1/4)/5	4分(G1/2)	5.2mm/4	172	32	22
分流排六位八孔	30×30	2分(G1/4)/6	4分(G1/2)	5.2mm/4	204	32	22
分流排七位九孔	30×30	2分(G1/4)/7	4分(G1/2)	5.2mm/4	236	32	22
分流排八位十孔	30×30	2分(G1/4)/8	4分(G1/2)	5.2mm/4	268	32	22
分流排九位十一孔	30×30	2分(G1/4)/9	4分(G1/2)	5.2mm/4	300	32	22
分流排十位十二孔	30×30	2分(G1/4)/10	4分(G1/2)	5.2mm/4	332	32	22



品名规格	尺寸 B	正面螺纹/孔数 C	两侧螺纹 P	安装孔大小/孔数 H	长度 A	正面螺纹孔间距 F	G
分流排二位四孔	40×40	2分(G1/4)/2	4分(G1/2)	5.2mm/2	85	35	25
分流排三位五孔	40×40	2分(G1/4)/3	4分(G1/2)	5.2mm/4	120	35	25
分流排四位六孔	40×40	2分(G1/4)/4	4分(G1/2)	5.2mm/4	155	35	25
分流排五位七孔	40×40	2分(G1/4)/5	4分(G1/2)	5.2mm/4	190	35	25
分流排六位八孔	40×40	2分(G1/4)/6	4分(G1/2)	5.2mm/4	225	35	25
分流排七位九孔	40×40	2分(G1/4)/7	4分(G1/2)	5.2mm/4	260	35	25
分流排八位十孔	40×40	2分(G1/4)/8	4分(G1/2)	5.2mm/4	295	35	25
分流排九位十一孔	40×40	2分(G1/4)/9	4分(G1/2)	5.2mm/4	330	35	25
分流排十位十二孔	40×40	2分(G1/4)/10	4分(G1/2)	5.2mm/4	365	35	25