



REPC-B不锈钢外螺纹直通




型号	管径	螺纹(T)	A	B	H	G
4-M5	4MM	M5	5	21.5	10	13.8
4-M6	4MM	M6	6	22.5	10	13.8
4-01	4MM	R1/8	8.5	21.5	10	13.8
4-02	4MM	R1/4	12	21.5	14	13.8
6-M5	6MM	M5	5	25.2	12	16.7
6-M6	6MM	M6	6	26.2	12	16.7
6-01	6MM	R1/8	8.5	21.7	12	16.7
6-02	6MM	R1/4	12	25.2	14	16.7
6-03	6MM	R3/8	12	25.2	17	16.7
6-04	6MM	R1/2	15	29.2	22	16.7
8-01	8MM	R1/8	8.5	28.5	14	18.6
8-02	8MM	R1/4	12	25.3	14	18.6
8-03	8MM	R3/8	12	25.3	17	18.6
8-04	8MM	R1/2	15	29.3	22	18.6
10-01	10MM	R1/8	8.5	30.6	17	19.4
10-02	10MM	R1/4	12	32.4	17	19.4
10-03	10MM	R3/8	12	25.4	17	19.4
10-04	10MM	R1/2	15	29.4	22	19.4
12-01	12MM	R1/8	8.5	28.9	19	19.5
12-02	12MM	R1/4	12	32.4	19	19.5
12-03	12MM	R3/8	12	25.4	19	19.5
12-04	12MM	R1/2	15	29.4	22	19.5
14-02	14MM	R1/4	12	33.8	22	19.8
14-03	14MM	R3/8	12	33.8	22	19.8
14-04	14MM	R1/2	15	29.8	22	19.8
16-02	16MM	R1/4	12	34.1	22	20.1
16-03	16MM	R3/8	12	34.1	22	20.1
16-04	16MM	R1/2	15	30.1	22	20.1

REPCF-B不锈钢内螺纹直通




型号	管径O.D(D)	螺纹(T)	A	B	H	G
4-M5	4MM	M5	6	20.8	12	13.8
4-M6	4MM	M6	7	21.8	12	13.8
4-01	4MM	R1/8	8.5	23.4	14	13.8
4-02	4MM	R1/4	12	26.9	17	13.8
6-M5	6MM	M5	6	24.7	14	16.7
6-M6	6MM	M6	7	25.7	14	16.7
6-01	6MM	R1/8	8.5	27.2	14	16.7
6-02	6MM	R1/4	12	30.7	17	16.7
6-03	6MM	R3/8	12	30.7	19	16.7
6-04	6MM	R1/2	14	32.7	24	16.7
8-01	8MM	R1/8	8.5	28.8	14	18.6
8-02	8MM	R1/4	12	32.3	17	18.6
8-03	8MM	R3/8	12	32.3	19	18.6
8-04	8MM	R1/2	14	32.5	24	18.6
10-01	10MM	R1/8	8.5	29.9	17	19.4
10-02	10MM	R1/4	12	33.4	17	19.4
10-03	10MM	R3/8	12	33.4	19	19.4
10-04	10MM	R1/2	14	35.4	24	19.4
12-02	12MM	R1/4	12	33.5	19	19.5
12-03	12MM	R3/8	12	33.5	19	19.5
12-04	12MM	R1/2	14	35.5	24	19.5
14-02	14MM	R1/4	12	33.8	22	19.8
14-03	14MM	R3/8	12	33.8	22	19.8
14-04	14MM	R1/2	14	35.8	24	19.8
16-02	16MM	R1/4	12	34.1	22	20.1
16-03	16MM	R3/8	12	34.1	22	20.1
16-04	16MM	R1/2	14	36.1	24	20.1

REPMF-B不锈钢内螺纹隔板直通




型号	管径O.D(D)	螺纹(T)	A	B	H	G	M
4-M5	4MM	M5	6	20.8	14	13.8	M11×1
4-M6	4MM	M6	7	21.8	14	13.8	M11×1
4-01	4MM	R1/8	8.5	23.4	14	13.8	M11×1
4-02	4MM	R1/4	12	26.9	17	13.8	M11×1
6-M5	6MM	M5	6	24.7	17	16.7	M13×1
6-M6	6MM	M6	7	25.7	17	16.7	M13×1
6-01	6MM	R1/8	8.5	27.2	17	16.7	M13×1
6-02	6MM	R1/4	12	30.7	17	16.7	M13×1
6-03	6MM	R3/8	12	30.7	19	16.7	M13×1
6-04	6MM	R1/2	14	32.7	24	16.7	M13×1
8-01	8MM	R1/8	8.5	28.8	17	18.6	M15×1
8-02	8MM	R1/4	12	32.3	17	18.6	M15×1
8-03	8MM	R3/8	12	32.3	19	18.6	M15×1
8-04	8MM	R1/2	14	32.5	24	18.6	M15×1
10-01	10MM	R1/8	8.5	29.9	19	19.4	M17×1
10-02	10MM	R1/4	12	33.4	19	19.4	M17×1
10-03	10MM	R3/8	12	33.4	19	19.4	M17×1
10-04	10MM	R1/2	14	35.4	24	19.4	M17×1
12-02	12MM	R1/4	12	33.5	24	19.5	M21×1
12-03	12MM	R3/8	12	33.5	19	19.5	M21×1
12-04	12MM	R1/2	14	35.5	24	19.5	M21×1
14-02	14MM	R1/4	12	33.8	24	19.8	M21×1
14-03	14MM	R3/8	12	33.8	24	19.8	M21×1
14-04	14MM	R1/2	14	35.8	24	19.8	M24×1
16-02	16MM	R1/4	12	34.1	27	20.1	M24×1
16-03	16MM	R3/8	12	34.1	27	20.1	M24×1
16-04	16MM	R1/2	14	36.1	27	20.1	M24×1

REPL-B不锈钢外螺纹弯通




型号	管径O.D(D)	螺纹(T)	A	B	H	G	E
4-M5	4MM	M5	5	19.1	12	13.8	16.9
4-M6	4MM	M6	6	20.1	12	13.8	16.9
4-01	4MM	R1/8	8.5	20.9	12	13.8	16.9
4-02	4MM	R1/4	12	23.9	14	13.8	16.9
6-M5	6MM	M5	5	21.5	12	16.7	21.2
6-M6	6MM	M6	6	22.5	12	16.7	21.2
6-01	6MM	R1/8	8.5	21.5	12	16.7	21.2
6-02	6MM	R1/4	12	25.5	14	16.7	21.2
6-03	6MM	R3/8	12	26	17	16.7	21.2
6-04	6MM	R1/2	15	29.5	22	16.7	21.2
8-01	8MM	R1/8	8.5	25.1	12	18.6	23.3
8-02	8MM	R1/4	12	25.5	14	18.6	23.3
8-03	8MM	R3/8	12	26	17	18.6	23.3
8-04	8MM	R1/2	15	29.5	22	18.6	23.3
10-01	10MM	R1/8	8.5	26.45	12	19.4	27.4
10-02	10MM	R1/4	12	25.5	14	19.4	27.4
10-03	10MM	R3/8	12	28.1	17	19.4	27.4
10-04	10MM	R1/2	15	31.6	22	19.4	27.4
12-01	12MM	R1/8	8.5	25.9	12	19.5	30
12-02	12MM	R1/4	12	28.9	14	19.5	30
12-03	12MM	R3/8	12	29.4	17	19.5	30
12-04	12MM	R1/2	15	33.5	22	19.5	30
14-02	14MM	R1/4	12	28.9	14	19.8	30.3
14-03	14MM	R3/8	12	29.4	17	19.8	30.3
14-04	14MM	R1/2	15	33.5	22	19.8	30.3
16-02	16MM	R1/4	12	28.9	14	20.1	35.6
16-03	16MM	R3/8	12	29.4	17	20.1	35.6
16-04	16MM	R1/2	15	33.5	22	20.1	35.6

REP-D-B 不锈钢螺纹侧三通




型号	管径O.D(D)	螺纹(T)	A	B	H	G	E
4-M5	4MM	M5	5	19.1	12	13.8	16.9
4-M6	4MM	M6	6	20.1	12	13.8	16.9
4-01	4MM	R1/8	8.5	20.9	12	13.8	16.9
4-02	4MM	R1/4	12	23.9	14	13.8	16.9
6-M5	6MM	M5	5	21.5	12	16.7	21.2
6-M6	6MM	M6	6	22.5	12	16.7	21.2
6-01	6MM	R1/8	8.5	21.5	12	16.7	21.2
6-02	6MM	R1/4	12	25.5	14	16.7	21.2
6-03	6MM	R3/8	12	26	17	16.7	21.2
6-04	6MM	R1/2	15	29.5	22	16.7	21.2
8-01	8MM	R1/8	8.5	25.1	12	18.6	23.3
8-02	8MM	R1/4	12	25.5	14	18.6	23.3
8-03	8MM	R3/8	12	26	17	18.6	23.3
8-04	8MM	R1/2	15	29.5	22	18.6	23.3
10-01	10MM	R1/8	8.5	26.45	12	19.4	27.4
10-02	10MM	R1/4	12	25.5	14	19.4	27.4
10-03	10MM	R3/8	12	28.1	17	19.4	27.4
10-04	10MM	R1/2	15	31.6	22	19.4	27.4
12-01	12MM	R1/8	8.5	25.9	12	19.5	30
12-02	12MM	R1/4	12	28.9	14	19.5	30
12-03	12MM	R3/8	12	29.4	17	19.5	30
12-04	12MM	R1/2	15	33.5	22	19.5	30
14-02	14MM	R1/4	12	28.9	14	19.8	30.3
14-03	14MM	R3/8	12	29.4	17	19.8	30.3
14-04	14MM	R1/2	15	33.5	22	19.8	30.3
16-02	16MM	R1/4	12	29.5	14	20.1	35.6
16-03	16MM	R3/8	12	29.5	17	20.1	35.6
16-04	16MM	R1/2	15	34.2	22	20.1	35.6

REP-X-BY型不锈钢螺纹三通




型号	管径O.D(D)	螺纹(T)	A	B	H	G	I
4-M5	4MM	M5	5	44.8	12	13.8	25.4
4-M6	4MM	M6	6	45.8	12	13.8	25.4
4-01	4MM	R1/8	8.5	46.9	12	13.8	25.4
4-02	4MM	R1/4	12	49.9	14	13.8	25.4
6-M5	6MM	M5	5	45.1	12	16.7	25.7
6-M6	6MM	M6	6	46.1	12	16.7	25.7
6-01	6MM	R1/8	8.5	47.2	12	16.7	25.7
6-02	6MM	R1/4	12	50.2	14	16.7	25.7
6-03	6MM	R3/8	12	50.7	17	16.7	25.7
6-04	6MM	R1/2	15	53.9	22	16.7	25.7
8-01	8MM	R1/8	8.5	51.8	14	18.6	28.2
8-02	8MM	R1/4	12	52.3	14	18.6	28.2
8-03	8MM	R3/8	12	52.8	17	18.6	28.2
8-04	8MM	R1/2	15	56.3	22	18.6	28.2
10-01	10MM	R1/8	8.5	59	17	19.4	33.4
10-02	10MM	R1/4	12	62.5	17	19.4	33.4
10-03	10MM	R3/8	12	62.5	17	19.4	33.4
10-04	10MM	R1/2	15	66	22	19.4	33.4
12-02	12MM	R1/8	12	74	19	19.5	42
12-03	12MM	R1/4	12	74	19	19.5	42
12-04	12MM	R3/8	15	77.5	22	19.5	42
14-02	14MM	R1/4	12	74	19	19.8	42
14-03	14MM	R3/8	12	74	19	19.8	42
14-04	14MM	R1/2	15	77.5	22	19.8	42

RESL-BL型不锈钢单向节流阀




型号	管径O.D(D)	螺纹(T)	A	B	H	G	E
4-M5	4MM	M5	5.4	38.5	12	13.8	22.2
4-M6	4MM	M6	6	38.5	12	13.8	22.2
4-01	4MM	R1/8	7.5	38.5	12	13.8	22.2
4-02	4MM	R1/4	11	43.5	14	13.8	22.4
6-M5	6MM	M5	5.4	38.5	12	16.7	25
6-M6	6MM	M6	6	38.5	12	16.7	25
6-01	6MM	R1/8	7.5	38.5	12	16.7	25
6-02	6MM	R1/4	11	43.5	14	16.7	26.5
6-03	6MM	R3/8	11.5	53	19	16.7	29
6-04	6MM	R1/2	12	57.2	24	16.7	32.2
8-01	8MM	R1/8	7.5	38.5	12	18.6	28.3
8-02	8MM	R1/4	11	43.5	14	18.6	28.5
8-03	8MM	R3/8	11.5	53	19	18.6	31
8-04	8MM	R1/2	12	57.2	24	18.6	34.3
10-01	10MM	R1/8	7.5	38.5	12	19.4	30
10-02	10MM	R1/4	11	43.5	14	19.4	32.9
10-03	10MM	R3/8	11.5	53	19	19.4	33.7
10-04	10MM	R1/2	12	57.2	24	19.4	35.5
12-02	12MM	R1/4	11	43.5	14	19.5	34.4
12-03	12MM	R3/8	11.5	53	19	19.5	36.3
12-04	12MM	R1/2	12	57.2	24	19.5	35.6
14-02	14MM	R1/4	11	43.5	14	19.8	34.7
14-03	14MM	R3/8	11.5	53	19	19.8	36.6
14-04	14MM	R1/2	12	57.2	24	19.8	35.9
16-04	16MM	R1/2	12	57.2	24	20.1	36.3

REPU-B不锈钢直通




型号	管径O.D(D)	B	G
4	4MM	29.5	13.8
6	6MM	35.7	16.7
8	8MM	39.2	18.6
10	10MM	41.3	19.4
12	12MM	41.5	19.5
14	14MM	42.1	19.8
16	16MM	42.7	20.1

PM-B 不锈钢隔板直通



型号	管径O.D(D)	B	G	最大距离(E)	M	H	E
4	4MM	29.5	13.8	12	M11×1	S14	4
6	6MM	35.7	16.7	17	M13×1	S17	4
8	8MM	39.2	18.6	20	M15×1	S19	4
10	10MM	41.3	19.4	22	M17×1	S22	4
12	12MM	41.5	19.5	22	M21×1	S24	4
14	14MM	42.1	19.8	22	M21×1	S24	4
16	16MM	42.7	20.1	22	M24×1	S27	4

REP-V-B 不锈钢弯通




型号	管径O.D(D)	E	G
4	4 MM	16.9	13.8
6	6 MM	21.2	16.7
8	8 MM	23.3	18.6
10	10 MM	27.4	19.4
12	12 MM	30	19.5
14	14 MM	30.3	19.8
16	16 MM	35.6	20.1

REPB-B 不锈钢螺纹正三通




名称	管径O.D(D)	螺纹(T)	A	B	H	G	E
4-M5	4 MM	M5	5	19.1	12	13.8	16.9
4-M6	4 MM	M6	6	20.1	12	13.8	16.9
4-01	4 MM	R1/8	8.5	20.9	12	13.8	16.9
4-02	4 MM	R1/4	12	23.9	14	13.8	16.9
6-M5	6 MM	M5	5	21.5	12	16.7	21.2
6-M6	6 MM	M6	6	22.5	12	16.7	21.2
6-01	6 MM	R1/8	8.5	21.5	12	16.7	21.2
6-02	6 MM	R1/4	12	25.5	14	16.7	21.2
6-03	6 MM	R3/8	12	26	17	16.7	21.2
6-04	6 MM	R1/2	15	29.5	22	16.7	21.2
8-01	8 MM	R1/8	8.5	25.1	12	18.6	23.3
8-02	8 MM	R1/4	12	25.5	14	18.6	23.3
8-03	8 MM	R3/8	12	26	17	18.6	23.3
8-04	8 MM	R1/2	15	29.5	22	18.6	23.3
10-01	10 MM	R1/8	8.5	26.45	12	19.4	27.4
10-02	10 MM	R1/4	12	25.5	14	19.4	27.4
10-03	10 MM	R3/8	12	28.1	17	19.4	27.4
10-04	10 MM	R1/2	15	31.6	22	19.4	27.4
12-01	12 MM	R1/8	8.5	25.9	12	19.5	30
12-02	12 MM	R1/4	12	28.9	14	19.5	30
12-03	12 MM	R3/8	12	39.4	17	19.5	30
12-04	14 MM	R1/2	15	33.5	22	19.5	30
14-02	14 MM	R1/4	12	28.9	14	19.8	30.3
14-03	14 MM	R3/8	12	28.4	17	19.8	30.3
14-04	14 MM	R1/2	15	33.5	22	19.8	30.3
16-02	16 MM	R1/4	12	28.9	14	20.1	35.6
16-03	16 MM	R3/8	12	29.4	17	20.1	35.6
16-04	16 MM	R1/2	15	33.5	22	20.1	35.6

REPLF-B 不锈钢内螺纹弯通




名称	管径O.D(D)	螺纹(T)	L1	L2	H	S	D1	D2
4-M5	4MM	M5	17.5	15	5	12	φ8	φ4
4-M6	4MM	M6	17.5	15	5	12	φ8	φ4
4-01	4MM	R1/8	17.5	20	8	14	φ10	φ4
4-02	4MM	R1/4	17.5	22	9.5	17	φ10	φ4
6-M5	6MM	M5	24	24	8	12	φ12	φ6
6-M6	6MM	M6	24	24	8	12	φ12	φ6
6-01	6MM	R1/8	24	24	8	14	φ12	φ6
6-02	6MM	R1/4	24	21	9.5	17	φ12	φ6
6-03	6MM	R3/8	24	22	10.5	19	φ12	φ6
6-04	6MM	R1/2	24	23	12.5	21	φ12	φ6
8-01	8MM	R1/8	26.5	16	8	14	φ14	φ8
8-02	8MM	R1/4	26.5	21	9.5	17	φ14	φ8
8-03	8MM	R3/8	26.5	22	10.5	19	φ14	φ8
8-04	8MM	R1/2	26.5	23	12.5	24	φ14	φ8
10-01	10MM	R1/8	31	22	5	14	φ16	φ10
10-02	10MM	R1/4	31	25	9.5	17	φ16	φ10
10-03	10MM	R3/8	31	26	10.5	19	φ16	φ10
10-04	10MM	R1/2	31	27	12.5	24	φ16	φ10
12-02	12MM	R1/4	32.5	27.5	9.5	17	φ18	φ12
12-03	12MM	R3/8	32.5	28.5	10.5	19	φ18	φ12
12-04	14MM	R1/2	32.5	29.5	12.5	24	φ18	φ12
14-02/03/04	-	-	-	-	-	-	-	-
16-02/03/04	-	-	-	-	-	-	-	-

REPE-B 不锈钢三通




型号	管径O.D(D)	E	G
4	4MM	16.9	13.8
6	6MM	21.2	16.7
8	8MM	23.3	18.6
10	10MM	27.4	19.4
12	12MM	30	19.5
14	14MM	30.3	19.8
16	16MM	35.6	20.1

REPY-B Y型不锈钢三通




型号	管径O.D(D)	B	G	W	L
4	4MM	39.3	13.8	13.8	25.4
6	6MM	39.9	16.7	13.8	25.7
8	8MM	44.5	18.6	15.8	28.2
10	10MM	52	19.4	19.4	33.4
12	12MM	59	19.5	19.5	42

PZA-B 不锈钢四通




型号	管径O.D(D)	E	G
4	4MM	16.9	13.8
6	6MM	21.2	16.7
8	8MM	23.3	18.6
10	10MM	27.4	19.4
12	12MM	30	19.5

REPG-B 不锈钢直通变径




型号	管径O.D(D)	管径O.D(d)	B	G	g
6-4	6MM	4MM	32.3	16.7	13.8
8-4	8MM	4MM	34.2	18.6	13.8
8-6	8MM	6MM	37.3	18.6	16.7
10-6	10MM	6MM	38.1	19.4	16.7
10-8	10MM	8MM	40.0	19.4	18.6
12-8	12MM	8MM	40.1	20.1	18.6
12-10	12MM	10MM	41.3	20.1	19.4
14-10	14MM	10MM	41.7	20.1	19.4
14-12	14MM	12MM	42.0	20.1	20.1
16-12	16MM	12MM	42.1	20.1	20.1
16-14	16MM	14MM	42.4	20.1	20.1

REPEW-B 不锈钢三通变径




型号	管径O.D(D)	管径O.D(d)	E	G	A
6-4-6	6MM	4MM	21.2	16.7	13.8
8-6-8	8MM	6MM	23.3	18.6	16.7
10-8-10	10MM	8MM	27.4	19.4	18.6
12-10-12	12MM	10MM	30	19.5	19.4
14-12-14	14MM	12MM	30.3	19.8	19.5
16-14-16	16MM	14MM	35.6	20.1	19.8

REPH-B 不锈钢外六角弯头




型号	管径O.D(D)	螺纹(T)	A	B	H	G	E
4-M5	4 MM	M5	5.4	27.2	12	13.8	22.2
4-M6	4 MM	M6	6	27.2	12	13.8	22.2
4-01	4 MM	R1/8	7.5	27.2	12	13.8	22.2
4-02	4 MM	R1/4	11	31.4	14	13.8	22.4
6-M5	6 MM	M5	5.4	27.2	12	16.7	25
6-M6	6 MM	M6	6	27.2	12	16.7	25
6-01	6 MM	R1/8	7.5	27.2	12	16.7	25
6-02	6 MM	R1/4	11	31.4	14	16.7	26.5
6-03	6 MM	R3/8	11.5	37.3	19	16.7	29
6-04	6 MM	R1/2	12	38.7	24	16.7	32.2
8-01	8 MM	R1/8	7.5	27.2	12	18.6	28.3
8-02	8 MM	R1/4	11	31.4	14	18.6	28.5
8-03	8 MM	R3/8	11.5	37.3	19	18.6	31
8-04	8 MM	R1/2	12	38.7	24	18.6	34.3
10-01	10 MM	R1/8	7.5	27.2	12	19.4	30
10-02	10 MM	R1/4	11	31.4	14	19.4	32.9
10-03	10 MM	R3/8	11.5	37.3	19	19.4	33.7
10-04	10 MM	R1/2	12	38.7	24	19.4	35.5
12-02	12 MM	R1/4	11	31.4	14	19.5	34.4
12-03	12 MM	R3/8	11.5	37.3	19	19.5	36.3
12-04	12 MM	R1/2	12	38.7	24	19.5	35.6
14-02	14 MM	R1/4	11	31.4	14	19.8	34.7
14-03	14 MM	R3/8	11.5	37.3	19	19.8	36.6
14-04	14 MM	R1/2	12	38.7	24	19.8	35.9
16-04	16 MM	R1/2	12	38.7	24	20.1	36.3

REBY 不锈钢外六角堵头



型号	L	H	T	S
REBY-M5	6	3.6	M5	8
REBY-01G	8.5	5	G1/8	12
REBY-02G	10.5	7	G1/4	16
REBY-03G	11.5	7.5	G3/8	19
REBY-04G	12.5	8.5	G1/2	24

REBT 内六角堵头



型号	L	H	T	D	S
REBT-M5	5.1	3.6	M5	φ7.8	2
REBT-01G	7	5	G1/8	φ12	4
REBT-02G	9	7	G1/4	φ15.6	6
REBT-03G	9.8	7.5	G3/8	φ19	10
REBT-04G	11	8.5	G1/2	φ24	12
REBT-06G	16	12	G3/4	φ30	12